

Product Recommendation Information Sheet

Electric Actuator


Desired Product ● If you have no desired product, leave the applicable fields blank. We will call you if necessary.

Desired Product(s)

- Electric Linear Slide
 Electric Cylinder
 Compact Electric Cylinder
 Rack-and-Pinion System
 Others


Drive Mechanism Specifications ● If in doubt, leave the applicable fields blank. We will call you if necessary.

- Total Mass of Load (Including jig) = kg
- Inclination Angle of the Mechanism .. = deg.
- External Force Applied = N




If you wish to use electric linear slide, enter the information below.

- Center of Gravity Overhang Distance = mm
 - = mm
 - = mm
- Total Length of Required Stroke = mm



Operating Conditions ● If in doubt, leave the applicable fields blank. We will call you if necessary.

- Travel Amount per Operation mm
- Positioning Time = s
- Desired Acceleration and Deceleration Time .. = s
- Stop Time = s
- Desired Travel Speed (If any) = mm/s
- Desired Stopping Accuracy (If any) ... ± mm
- Power Supply Voltage V, Hz
- Necessity of Holding Force After Power is Turned off Yes No



Others

- Application, Equipment Name
- Estimated Number of Units to be Used unit(s)
- Estimated Purchase Date
- Supply Source (Sales office)

■ Requests, Contact information, etc.

Empty rectangular box for content.